


Eaton DILEM-10(115V60HZ)

Catalog Number: DILEM-10(115V60HZ)

Eaton XT IEC mini contactor, 115 Vac, 60 Hz, 1NO, 9A, 60 Hz, 0.5, 1.5/ 2, 3, 5, 5 hp (1/3PH @120, 240/208, 240, 480, 600 V), Three-pole, Reversing, , Screw terminals, Full voltage reversing miniature contactor, 4 kW



General specifications

Product Name

Eaton XT IEC mini contactor

UPC

790500000210

Product Length/Depth

52 mm

Product Width

45 mm

Compliances

RoHS Compliant

CE Marked

Catalog Number

DILEM-10(115V60HZ)

EAN

4015080100249

Product Height

58 mm

Product Weight

0.2 kg

Certifications

IEC 60947

CSA Certified

UL Listed

EN 60947

Product specifications

Used with

DILEM

DILE

HP rating - max

0.5, 1.5/ 2, 3, 5, 5 hp (1/3PH @120,240/208,240,480,600 V)

Number Of Poles

Three-pole

Type

Full voltage reversing miniature contactor

Frequency rating

60 Hz

Connection

Screw connection

Terminals

Screw terminals

Coil voltage

115 Vac, 60 Hz

Contact configuration

1 NO

Continuous ampere rating

9 A

Series

XT IEC

Number of contacts

1 NO

Operation

Reversing

Power consumption

4 kW

Resources

Multimedia

[Contactors Explained](#)

[S1. E4. Ask the Experts - NEMA, IEC and DP contactors](#)

Specifications and datasheets

[Eaton Specification Sheet - DILEM-10\(115V60HZ\)](#)



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are
property of their respective
owners.



Eaton.com/socialmedia