Eaton OSP10M-W

Catalog Number: OSP10M-W

Eaton occupancy sensor switch, Decorator, Flush, 120/277V, Wire lead, White, Inc, MLV, ELV, Flr, halo, CFL, LED, Elec mtr lds, 1-pole, 3-way, 1-ph, 1000 sq ft, 2-rly, 800W (Inc/hal @120V), 1200W (Flr @120V), 2200W (Flr @277V) 729386



General specifications

Product Name Eaton occupancy sensor switch UPC 032664729386 Product Height 2.19 in Product Weight

30.419 lb

OSP10M-W Product Length/Depth 4.63 in Product Width 3 in Certifications cULus Listed

NOM

Catalog Number



Product specifications

Special features

Decorator

Туре

Occupancy sensor switch

Voltage rating

120/277 V

Number Of Poles

Single-pole

Phase Single-phase

Power consumption

800 W (INC/HAL at 120 V) 1200 W (FLR at 120 V) 2200 W (FLR at 277 V)

Wiring method

Wire leads

Sensor type

Occupancy

Mounting method

Flush

Closure type

Maintained

Load type

LED ELV HAL INC CFL MLV FLR Electrical motor loads

Number of ways

Three-way

Relay

Single

Range

1000 sq ft

Resources

Brochures

Arrow Hart commercial lighting controls brochure

Specifications and datasheets

Eaton Specification Sheet - OSP10M-W

Passive infrared (PIR) wall mount occcupancy sensor spec sheet



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com © 2024 Eaton. All Righ Reserved.

Eaton is a registered trademark.

Eaton.comAll other trademarks are© 2024 Eaton. All Rightsproperty of their respectiveReserved.owners.



Eaton.com/socialmedia