

Eaton TMCX125 1 BULK

Catalog Number: TMCX125 1 BULK

Eaton Crouse-Hinds series Terminator II TMCX cable gland, Cable Range:0.87-1.39",Cable Sealing:1 (S),Metal-cladcorrugated armoured,TECK armoured,armoured barrier and tray cable,Armoured gland, Aluminum, 1-1/4" NPT



General specifications

Product Name	Catalog Number
Eaton Crouse-Hinds series Terminator II TMCX cable gland	TMCX125 1 BULK
	UPC
	662276488434
Product Length/Depth	Product Height
4.38 in	2.56 in
Product Width	Product Weight
2.56 in	0.61 lb

Certifications and compliances

Area classification

Hazardous/Classified Locations

Standards type

NEC/CEC

NEC hazardous rating

Class I, Division 1

Class II, Division 1

Class III

NEMA Rating

4X

6P

Product specifications

Protection type

Explosion-proof

Cable type

Armoured barrier

TECK armoured

Tray cable

Metal-clad with interlocked or continuously welded corrugated armoured

Gland type

Armoured

Thread Size

1-1/4"

Thread type

NPT

Cable sealing range

1 (S)

Cable range (min/max)

0.87-1.39"

Material

Aluminum

Resources

Brochures

[Crouse-Hinds series Chico LiquidSeal flyer](#)

[Crouse-Hinds series Chico LiquidSeal Bulk Solution flyer](#)

[Crouse-Hinds series TMCX II brochure](#)

Catalogs

[Crouse-Hinds series TMCX II catalog page](#)

Certification reports

[TMCX II Explosionproof Armoured Barrier and Non-armoured Barrier](#)

[Gland Canadian certification](#)

[TMCX II Explosionproof Armoured Barrier and Non-armoured Barrier](#)

[Gland UL certification](#)

Installation instructions

[IF 1647 - TMCX Terminator II Cable Gland](#)

IF 1647B - TMCX Terminator II Cable Gland

Specifications and datasheets

Eaton Specification Sheet - TMCX125 1 BULK



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



Eaton.com/socialmedia